

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

# Vietnam Yichang New Material Company Ltd.

F1 Road, Section F, Pho Noi A Industrial Park, Minh Hai Commune, Van Lam District, Hung Yen, VietNam

For the following product(s):

**Vinyl Tile:**

Wood Plastic Composite (WPC) Flooring (*Maximum thickness: 12mm*)

Rigid LVT with Pad (*Maximum thickness: 8.5mm*)

Rigid LVT (*Maximum thickness: 6.5mm*)

Luxury Vinyl Tile (LVT) Flooring (*Maximum thickness: 5mm*)

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

**FloorScore®**

Indoor Air quality Certified to SCS-105 Version 4.2 – 2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-09797

Valid from: February 01, 2025 to January 31, 2026

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



CERTIFIED BY  
SCS Global Services



A handwritten signature in black ink that reads "Diana Kirsanova Phillips".

Diana Kirsanova Phillips, Chief Assurance Officer,  
SCS Global Services